



1-800-375-0605 www.rudolphbros.com

APPLICATION GUIDE FOR Foster® First Defense™ Disinfectant

MATERIAL PREPARATION: DO NOT DILUTE! Foster® First Defense™ Disinfectant is full strength. Any attempt to dilute will drastically reduce the efficacy of the material.

SITE PREPARATION: Follow all procedures mandated by Federal, State, and local authorities regulating the use of EPA Registered disinfectants, if any.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Before use in federally inspected meat and poultry food processing plants and dairies, food products and packaging materials must be removed from the room or carefully protected. Refer to product label for more information.

TO CLEAN AND DEODORIZE: Apply undiluted to surfaces with a cloth, mop, sponge or sprayer. Wipe or allow to air dry.

WATER DAMAGE RESTORATION AGAINST ODOR-CAUSING BACTERIA AND FUNGI FOR HOME, INSTITUTIONAL, INDUSTRIAL, AND HOSPITAL USE. This product is particularly suitable for use in water damage restoration situations against odor causing bacteria on the following porous and semi-porous materials: carpets, carpet cushion, sub floors, drywall, trim, and frame lumber, tackless strip and paneling. Saturate affected materials with enough product to remain wet for at least 10 minutes. **Sewer Backup and River Flooding:** During mitigation procedures remove gross filth or heavy soil along with non-salvageable materials. Saturate all affected areas with a coarse spray device before and after cleaning and extraction. **Carpets, Carpet Cushion and Other Porous Materials such as Sub Floors, Drywall, Trim and Frame Lumber, Tackless Strip and Paneling:** For water damage from a clean source, extract excess water. Test hidden area for colorfastness. Remove gross filth or heavy soil. Saturate all affected areas with a coarse spray device. Roll, brush or agitate into the materials and allow the materials to remain wet for 10 minutes. Follow with a thorough extraction. Dry rapidly and thoroughly. **Special Instructions for Cleaning Carpet Against Odor Causing Bacteria:** Use this product in industrial and institutional areas such as homes, motels, hotels, nursing homes, schools and hospitals. Use on wet cleanable synthetic fibers. Do not use on wool. Vacuum carpet thoroughly prior to cleaning. Test fabric for color fastness. Do not mix this product with other cleaning products. Follow the cleaning procedures specified by the manufacturer of the cleaning equipment. After using this product, set the carpet pile and protect the carpet from furniture legs and bases while drying. Do not over wet. If applied to stain resistant nylon carpet, apply a fabric protector according to the manufacturer's direction.

DISINFECTION/ VIRUCIDAL * / FUNGICIDAL / MOLD AND MILDEW

CONTROL DIRECTIONS: Apply Foster® First Defense® undiluted to hard, non-porous surfaces, thoroughly wetting the surfaces with a cloth, mop, sponge, sprayer or by immersion. Treated surfaces must remain wet for 10 minutes. For Influenza Virus Type A and Human Coronavirus, treated surfaces must remain wet for 1 minute. Wipe dry with a cloth, sponge or mop or allow to air dry. For heavily soiled areas, a preliminary cleaning is recommended. For sprayer applications, use a coarse spray device. Spray 6-8 inches from surface; rub with brush, sponge or cloth. Avoid breathing spray. Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware and dishes. **For fungicidal activity:** Foster® First Defense® is an effective one-step fungicide against Trichophyton mentagrophytes when used on hard nonporous surfaces in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities. Allow surface to remain wet for 10 minutes. **For mold and mildew:** Repeat treatment every 7 days or more often if new growth appears.

This product is not for use on medical device surfaces.

ANIMAL VIRUSES: Avian Infectious Bronchitis Virus, Avian Influenza virus (H3N2), Avian Influenza virus (H5N1), Canine Distemper Virus, Feline Calicivirus, Newcastle's Disease Virus, Pseudorabies Virus. **ANIMAL CARE / KENNELS DISINFECTION / VIRUCIDAL* DIRECTIONS:** For cleaning and disinfecting hard nonporous surfaces: equipment used for feeding or watering animals, utensils, instruments, cages, kennels, stables, catteries, pens, stalls and etc. Remove all animals and feeds from premises, animal transportation vehicles, crates, pens, stalls and etc. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with Foster® First Defense® for a period of 10 minutes. Wipe or allow to air dry. Immerse all halters, ropes, and other types of equipment used in handling and restraining animals as well as forks, shovels, and scrapers used for removing litter and manure. Thoroughly scrub all treated surfaces, then rinse all surfaces that come in contact with food, including equipment used for feeding or watering, with potable water before reuse. Ventilate buildings, animal enclosures, vehicles and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried.

***KILLS HIV-1 AND HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECT PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings with which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS) or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV). **SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OR HBV OR HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS: Personal Protection:** Clean up should always be done wearing protective gloves, gowns, masks and eye protection. **Cleaning Procedure:** Blood and other body fluids containing HIV or HBV or HCV must be thoroughly cleaned from surfaces and objects before application of Foster® First Defense®. **Contact Time:** Leave surfaces wet for 1 minute (60 seconds) for HIV-1 and 10 minutes for HBV and HCV. Use a 10 minute contact time for disinfection against all other viruses, bacteria and fungi claimed. **Disposal of Infectious Material:** Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to local regulations for infectious waste disposal.

PRECAUTIONS and First Aid: Refer to product label and MSDS sheet for information.

CUSTOMER SERVICE: 800-832-9002

ADEQUATE TESTS: The information contained herein we believe is correct to the best of our knowledge and tests. The recommendations and suggestions herein are made without guarantee or representation as to results. We recommend that adequate tests be performed by you to determine if this product meets all of your requirements. Refer to product label before use.

For professional use only. Keep out of reach of children.