

# **Safety Data Sheet**

### [Steralloy 2463A]

### Section 1. Identification

**Product Identifier** 

[Steralloy 2463A]

**Synonyms** Manufacturer Stock N/A

**Numbers** 

N/A

Recommended use

Epoxy/Urethane Resin

Uses advised against

N/A

Manufacturer Contact

Address

Hapco Inc. 353 Circuit St. Hanover, MA, 02339

U.S.A

Phone **Emergency Phone** Fax

(781) 826-8801 (800) 424-9300 (781) 826-9544

CHEMTREC Night and

day

Website

www.hapcoweb.com

### Section 2. Hazards Identification

ACUTE TOXICITY - ORAL - Category 4 Classification

EYE DAMAGE/IRRITATION - Category 2A

HAZARDOUS TO THE AQUATIC ENVIRONMENT - LONG-TERM HAZARD -

Category 2

SENSITIZATION - SKIN - Category 1

SKIN CORROSION/IRRITATION - Category 2

Signal Word Warning

#### **Pictogram**



Hazard Statements Causes serious eye irritation

Causes skin irritation Harmful if swallowed

May cause an allergic skin reaction

Toxic to aquatic life with long lasting effects

**Precautionary Statements** 

Response Collect spillage

If eye irritation persists: Get medical advice/attention.

If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

If on skin: Wash with plenty of water/ ...

If skin irritation occurs: Get medical advice/attention.

If skin irritation or rash occurs: Get medical advice/attention. If swallowed: Call a poison center/doctor/ ... / if you feel unwell.

Rinse mouth.

Specific treatment (see ... on this label)

Take off contaminated clothing and wash it before reuse.

Wash contaminated clothing before reuse.

Prevention Avoid breathing dust/fume/gas/mist/ vapors/spray.

Avoid release to the environment

Contaminated work clothing must not be allowed out of the workplace.

Do not eat, drink or smoke when using this product.

Wash ...thoroughly after handling. Wear eye protection/face protection.

Wear protective gloves.

Storage N/A
Disposal N/A

Ingredients of unknown

toxicity

0%

Hazards not Otherwise

Classified

**Emergency Overview** 

Caution: may cause eye, skin and respiratory tract irritation.

Classification Irritant, Dangerous to the environment.

### Section 3. Ingredients

CAS	Ingredient Name	Weight %
84852-15-3	Encapsulated polyurethane, containing: Phenol, 4-nonyl-, branched	2% - Max
68609-97-2	Oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	5% - Max
25068-38-6	Epichlorohydrin-4,4'-isopropylidene diphenol resin	75% - Max

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First-Aid Measures

Eye Contact Immediately rinse eyes with running water for at least 15-30 minutes. Seek

immediate medical attention.

Skin Contact Remove contaminated clothing. Launder clothing before re-use. Wash skin

promptly with soap and water. Get medical attention if irritation persists.

Inhalation Move to fresh air. Aid in breathing if necessary.

Ingestion Drink 1-2 glasses of water or milk. Induce vomiting. Never give anything by

mouth to an unconscious person. Seek medical attention.

### Section 5. Fire Fighting Measures

Suitable Extinguishing Foam, carbon dioxide, dry chemical. Water spray for large fires

Full emergency equipment with self-contained breathing apparatus and full protective clothing (turnout gear) should be worn by fire fighters. Burning of this

material may result in the release of toxic fumes.

Unsuitable Extinguishing N/A

Media

Media

### Section 6. Accidental Release Measures

Spill and Leaks Evacuate nonessential personnel. Remove all sources of ignition and

ventilate area. Dike or impound spilled material and control further spillage if feasible. Absorb on inert carrier. Sweep, scrape or vacuum up. Shovel into secure containers for proper disposal. Use personal protective equipment.

Areas may be slippery.

Neutralization Chemical Not Applicable.

### Section 7. Handling and Storage

Product storage Store tightly sealed and away from sources of direct heat in a dry area.

## Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits

Ingredient Name	ACGIH TLV	OSHA PEL	STEL
Encapsulated polyurethane , containing: Phenol, 4-nonyl-, branched	N/A	N/A	N/A
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	N/A	N/A	N/A
Epichlorohydrin-4,4'-isopropylidene diphenol resin	N/A	N/A	N/A

Personal Protective Equipment PPE Goggles, Gloves, Apron

Personal protection equipment selection is best assigned by the user after performing a hazard assessment on the product as it is to be used in the specific work process.

### Section 9. Physical and Chemical Properties

Physical State	Liquid	
Color	Milky to	
	yellow	
Odor	N/A	
Odor Threshold	N/A	
Solubility	Not Soluable	
Partition coefficient Water/n-octanol	N/A	
VOC%	N/A	
Viscosity	N/A	
Specific Gravity	1	
Density lbs/Gal	N/A	
Pounds per Cubic Foot	N/A	
Flash Point	>190 C	
FP Method	PMCC	
Ph	N/A	
Melting Point	<39 C	
Boiling Point	> 260 C	
Boiling Range	N/A	
LEL	N/A	
UEL	N/A	
Evaporation Rate	N/A	
Flammability	N/A	
Decomposition Temperature	N/A	
Auto-ignition Temperature	N/A	
Vapor Pressure	3 mm Hg	
Vapor Density	ND	

### Section 10. Stability and Reactivity

Stability This is a stable product.

Incompatibility Aluminum, Zinc, strong oxidizers, amines, water, alcohols, strong bases,

metal compounds, surface active materials.

Hazardous Polymerization WIII not occur

Decomposition Products Oxides of carbon and nitrogen under burning conditions.

### Section 11. Toxicological Information

Primary Route(s) of Entry Skin Contact, Eye Contact, possible Inhalation.

Eye May cause irritation; corneal injury is unlikely

Skin Prolonged or repeated exposure may cause skin irritation; may cause skin

burns; may cause sesitization by skin contact.

Ingestion Single dose oral ingestion is considered to be very low due to the physical

properties of the product; but if ingested, it can be harmful.

Inhalation Overexposure to vapors is considered unlikely due to the physical properties

of the product.

Carcinogenicity No Carcinogenic substances as defined by IARC, NTP, and/or OSHA.

### Section 12. Ecological Information

No Data Available

### Section 13. Disposal

Disposal Dispose of waste in compliance with all applicable federal, state and local

environmental laws and regulations. Compliance with waste laws and

regulations are the responsibility of the waste generator.

### Section 14. Transport Information

UN Number N/A

UN Proper Shipping Name Non-hazardous Liquid Plastic

DOT Classification Not regulated.

Packing Group N/A

### Section 15. Regulatory Information

OSHA/HCS status This product is considered hazardous by the OSHA Hazardous

Communication Standard (29CFR 1910.1200).

### Section 16. Other Information

Revision Date 4/15/2015

HMIS III Health= 2 Fire= 1 Phy Hzd= 0

Disclaimer

Information given herein is offered in good faith as accurate, but without guarantee. Conditions of use and suitability of the product for particular uses are beyond our control; all risks and use of the product are therefore assumed by the user and we expressly disclaim all warranties of ever kind and nature, including warranties of merchantability and fitness for a particular purpose in respect to the use or suitability of the product. Appropriate warnings and safe

handling procedures should be provided to handlers and users.

Distributed by: Rudolph Bros. & Co. 6550 Oley Speaks Way Canal Winchester, OH 43110

Phone: 614-833-0707 Fax: 800-600-9508

e-mail: rbcsupport@rudbro.com

www.rudbro.com