

# **Safety Data Sheet**

[Tuffalloy 4272B]

### Section 1. Identification

Product Identifier Synonyms Manufacturer Stock Numbers	[Tuffalloy 4272B] N/A N/A		
Recommended use Uses advised against	Epoxy/Urethane Curative N/A		
Manufacturer Contact Address	Hapco Inc. 353 Circuit St. Hanover, MA, 02339 U.S.A		
	Phone (781) 826-8801	Emergency Phone (800) 424-9300 CHEMTREC Night and day	Fax (781) 826-9544
	Website www.hapcoweb.com		

#### Section 2. Hazards Identification

Classification	EYE DAMAGE/IRRITATION - Category 2B SKIN CORROSION/IRRITATION - Category 3
Signal Word	Warning

Pictogram	
Hazard Statements	Causes eye irritation
	Causes mild skin irritation
Precautionary Statements	
Response	If eye irritation persists: Get medical advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention.
Prevention	Washthoroughly after handling.
Storage	N/A
Disposal	N/A
Ingredients of unknown toxicity	0%
Hazards not Otherwise Classified	
Emergency Overview	Caution: may cause eye, skin and respiratory tract irritation.

# Section 3. Ingredients

CAS	Ingredient Name	Weight %
	Polyether polyol Proprietary Combination	Proprietary %
	Plasticizer Proprietary Combination	Proprietary %

Occupational exposure limits, if available, are listed in Section 8.

# Section 4. First-Aid Measures

Eye Contact	Immediately rinse eyes with running water for at least 15-30 minutes. Seek immediate medical attention.
Skin Contact	Wash skin with soap and water. Remove contamitnated clothing and launder before resuse.
Inhalation	Move to fresh air. Aid in breathing if necessary.
Ingestion	Drink 1-2 glasses of water or milk. Induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention.

# Section 5. Fire Fighting Measures

Suitable Extinguishing Media	Carbon dioxide, foam, or dry chemical water may be ineffective. Full emergency equipment with self-contained breathing apparatus and full protective clothing (turnout gear) should be worn by fire fighters. Burning of this material may result in the release of toxic fumes.
Unsuitable Extinguishing Media	N/A

## Section 6. Accidental Release Measures

Spill and Leaks	Evacuate nonessential personnel. Remove all sources of ignition and ventilate area. Dike or impound spilled material and control further spillage if feasible. Absorb on inert carrier. Sweep, scrape or vacuum up. Shovel into secure containers for proper disposal. Use personal protective equipment. Areas may be slippery.
Neutralization Chemical	Not Applicable. Clean surfaces with soap and water, some alcohol may be helpful.

### Section 7. Handling and Storage

Product storage Store tightly sealed and away from sources of direct heat in a dry area.

### Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits	Ingredient Name	ACGIH TLV	OSHA PEL	STEL
	Polyether polyol Proprietary Combination	N/A	N/A	N/A
	Plasticizer Proprietary Combination	N/A	N/A	N/A
Personal Protective Equipment	Goggles, Gloves, Apron			
PPE	Personal protection equipment selection is best assigned by the user after performing a hazard assessment on the product as it is to be used in the specific work process.			

# Section 9. Physical and Chemical Properties

Physical State	Liquid
Color	Cloudy white
Odor	low odor
Odor Threshold	N/A
Solubility	Very slight
Partition coefficient Water/n-octanol	N/A
VOC%	N/A
Viscosity	low-med. viscosity
Specific Gravity	1
Density lbs/Gal	N/A
Pounds per Cubic Foot	N/A
Flash Point	MT 125 C
FP Method	COC
Ph	N/A
Melting Point	ND
Boiling Point	ND
Boiling Range	N/A
LEL	N/A
UEL	N/A
Evaporation Rate	N/A
Flammability	N/A
Decomposition Temperature	N/A
Auto-ignition Temperature	N/A
Vapor Pressure	< 1 mm Hg
Vapor Density	ND

### Section 10. Stability and Reactivity

Stability	This is a stable product.
Incompatibility	Strong oxidizing agents. Avoid moisture.
Hazardous Polymerization	WIII not occur
Decomposition Products	Oxides of carbon and nitrogen under burning conditions.
Other Reactivity Data	Contact with certain rubbers and plastics can cause imbrittlement or softening of the material with subsequent loss in strength.

### Section 11. Toxicological Information

Primary Route(s) of Entry	Eye, Skin contact, Inhalation and Ingestion.
Ingestion	May cause gastric disturbances.
Eye	May be irritating to eyes in liquid or gaseous states.
Skin	May be irritating to skin from solid, liquid or gaseous states.
Inhalation	May be irritating to respiratory system if in gaseous state.
Carcinogenicity	No Carcinogenic substances as defined by IARC, NTP, and/or OSHA.

### Section 12. Ecological Information

No Data Available

#### Section 13. Disposal

Disposal Dispose of waste in compliance with all applicable federal, state and local environmental laws and regulations. Compliance with waste laws and regulations are the responsibility of the waste generator.

### Section 14. Transport Information

UN Number	N/A
UN Proper Shipping Name	Non-Hazardouns Liquid Plastic
DOT Classification	Not regulated.
Packing Group	N/A

### Section 15. Regulatory Information

OSHA/HCS status This product is considered hazardous by the OSHA Hazardous Communication Standard (29CFR 1910.1200).

## Section 16. Other Information

Revision Date	6/10/2015
HMIS III Disclaimer	Health= 1 Fire= 0 Phy Hzd= 0 Information given herein is offered in good faith as accurate, but without guarantee. Conditions of use and suitability of the product for particular uses are beyond our control; all risks and use of the product are therefore assumed by the user and we expressly disclaim all warranties of ever kind and nature, including warranties of merchantability and fitness for a particular purpose in respect to the use or suitability of the product. Appropriate warnings and safe handling procedures should be provided to handlers and users.

Distributed by: Rudolph Bros. & Co. 6550 Oley Speaks Way Canal Winchester, OH 43110 Phone: 614-833-0707 Fax: 800-600-9508 e-mail: rbcsupport@rudbro.com www.rudbro.com