

# **Safety Data Sheet**

[Hapflex 596B]

### Section 1. Identification

Product Identifier

[Hapflex 596B]

Synonyms

N/A

Manufacturer Stock

N/A

Numbers

Recommended use

Epoxy/Urethane Curative

Uses advised against

N/A

Manufacturer Contact

Address

Hapco Inc. 353 Circuit St. Hanover, MA, 02339

U.S.A

Phone

Emergency Phone

Fax

(781) 826-8801

(800) 424-9300

(781) 826-9544

CHEMTREC Night and

day

Website

www.hapcoweb.com

### Section 2. Hazards Identification

Classification

ACUTE TOXICITY - ORAL - Category 4

HAZARDOUS TO THE AQUATIC ENVIRONMENT - LONG-TERM HAZARD -

Category 1

Signal Word

Warning

Pictogram



Hazard Statements

Harmful if swallowed

Very toxic to aquatic life with long lasting effects

**Precautionary Statements** 

Response

Collect spillage

If exposed or concerned: Get medical advice/attention.

If swallowed: Call a poison center/doctor/ ... / if you feel unwell.

Rinse mouth.

Prevention

Avoid release to the environment

Do not eat, drink or smoke when using this product.

Do not handle until all safety precautions have been read and understood.

Obtain special instructions before use.

Wash ...thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

Storage

Store locked up.

Disposal

Dispose of contents/container in accordance with local/regional/national

/international regulations.

Ingredients of unknown

toxicity

0%

Hazards not Otherwise

Classified

Classification

Harmful, possibly corrosive, dangerous to the environment.

# Section 3. Ingredients

CAS	Ingredient Name	Weight %
19900-65-3	Benzenamine, 4,4'-methylenebis[2-ethyl-	30% - 45%
13674-84-5	2-Propanol, 1-chloro-, phosphate (3:1)	35% - 65%
	Proprietary mixture of aromatic and aliphatic amines	5% - 20%

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First-Aid Measures

Eye Contact Immediately rinse eyes with running water for at least 15-30 minutes. Seek

immediate medical attention.

Skin Contact Remove contaminated clothing. Launder clothing before re-use. Wash skin

promptly with soap and water. Get medical attention if irritation persists.

Inhalation Move to fresh air, Aide in breathing if necessary. Get medical attention.

Ingestion Drink 1-2 glasses of water or milk. Induce vomiting. Never give anything by

mouth to an unconscious person. Seek medical attention.

### Section 5. Fire Fighting Measures

Suitable Extinguishing

Media

Water, carbon dioxide, foam or dry chemical.

Full emergency equipment with self-contained breathing apparatus and full protective clothing (turnout gear) should be worn by fire fighters. Burning of this

material may result in the release of toxic fumes.

Unsuitable Extinguishing

Media

N/A

#### Section 6. Accidental Release Measures

Spill and Leaks

Evacuate nonessential personnel. Remove all sources of ignition and ventilate area. Dike or impound spilled material and control further spillage if feasible. Absorb on inert carrier. Sweep, scrape or vacuum up. Shovel into secure containers for proper disposal. Use personal protective equipment. Areas may be slippery.

Neutralization Chemical

Not Applicable use alcohol to clean surfaces

### Section 7. Handling and Storage

Product storage...

Store tightly sealed and away from sources of direct heat in a dry area.

### Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits

Ingredient Name	ACGIH TLV N/A	OSHA PEL N/A	STEL N/A
Benzenamine, 4,4'-methylenebis[2-ethyl-			
2-Propanol, 1-chloro-, phosphate (3:1)	N/A	N/A	N/A
Proprietary mixture of aromatic and aliphatic amines	N/A	N/A	N/A 

Personal Protective Equipment Goggles, Gloves, Apron

PPE

Personal protection equipment selection is best assigned by the user after performing a hazard assessment on the product as it is to be used in the specific work process.

# Section 9. Physical and Chemical Properties

Physical State	liquid
Color	Amber
Odor	slight odor
Odor Threshold	N/A
Solubility	Negligible
Partition coefficient Water/n-octanol	N/A
VOC%	N/A
Viscosity	low viscosity
Specific Gravity	1
Density Ibs/Gal	N/A
Pounds per Cubic Foot	N/A
Flash Point	340 C
FP Method	coc
Ph	N/A
Melting Point	NA
Boiling Point	>600F
Boiling Range	N/A
LEL	N/A
UEL	<b>N</b> /A
Evaporation Rate	N/A
Flammability	N/A
Decomposition Temperature	N/A
Auto-ignition Temperature	N/A
Vapor Pressure	ND
Vapor Density	NA

### Section 10. Stability and Reactivity

Stability

This is a stable product.

Incompatibility

Strong oxidizing agents, contact with nitrates, strong alkalis and strong acids

may cause fires and explosions.

Hazardous Polymerization Will not occur

**Decomposition Products** 

Oxides of carbon and nitrogen under burning conditions.

Other Reactivity Data

Contact with certain rubbers and plastics can cause imbrittlement or softening

of the material with subsequent loss in strength.

### Section 11. Toxicological Information

Primary Route(s) of Entry

Skin and Eyes

Ingestion

Inhalation

Harmful by ingestion, Nausea, stomach pain may occur; there may be

vomiting, loss of consciousness, convulsions.

Skin

Can cause irritation to skin.

Eye

Can be severely irritation to eyes. Irritating to respiratory systerm.

Carcinogenicity

No Carcinogenic substances as defined by IARC, NTP, and/or OSHA.

### Section 12. Ecological Information

No Data Available

### Section 13. Disposal

Disposal

Dispose of waste in compliance with all applicable federal, state and local environmental laws and regulations. Compliance with waste laws and

regulations are the responsibility of the waste generator.

### Section 14. Transport Information

UN Number

2735

UN Proper Shipping Name Amines, Liquid, Corrosive, N.O.S. (Polyetherdiamine)

DOT Classification

Packing Group

### Section 15. Regulatory Information

**OSHA/HCS** status

This product is considered hazardous by the OSHA Hazardous

Communication Standard (29CFR 1910.1200).

### Section 16. Other Information

Revision Date

6/1/2015

HMIS III Disclaimer Health= 2 Fire= 1 Phy Hzd= 0

Information given herein is offered in good faith as accurate, but without guarantee. Conditions of use and suitability of the product for particular uses are beyond our control; all risks and use of the product are therefore assumed by the user and we expressly disclaim all warranties of ever kind and nature, including warranties of merchantability and fitness for a particular purpose in respect to the use or suitability of the product. Appropriate warnings and safe

handling procedures should be provided to handlers and users.

Distributed by: Rudolph Bros. & Co. 6550 Oley Speaks Way Canal Winchester, OH 43110 Phone: 614-833-0707

Fax: 800-600-9508

e-mail: rbcsupport@rudbro.com

www.rudbro.com