



# Safety Data Sheet

[Accessories Antiair]

## Section 1. Identification

Product Identifier	[Accessories Antiair]		
Synonyms	N/A		
Manufacturer Stock Numbers	N/A		
Recommended use	Anti air additive		
Uses advised against	N/A		
Manufacturer Contact			
Address	Hapco Inc. 353 Circuit St. Hanover, MA, 02339 U.S.A		
	Phone	Emergency Phone	Fax
	(781) 826-8801	(800) 424-9300 CHEMTREC Night and day	(781) 826-9544
	Website		
	www.hapcoweb.com		

## Section 2. Hazards Identification

Classification	ACUTE TOXICITY - INHALATION - Category 5
Signal Word	Warning
Pictogram	
Hazard Statements	May be harmful if inhaled
Precautionary Statements	
Response	IF INHALED: Call a POISON CENTER or doctor/... if you feel unwell
Prevention	N/A
Storage	N/A
Disposal	N/A

Ingredients of unknown toxicity 0%

Hazards not Otherwise Classified

No Data Available

### Section 3. Ingredients

CAS	Ingredient Name	Weight %
67762-90-7	Treated fumed silica	10% - Max
556-67-2	Cyclotetrasiloxane, octamethyl-	10% - Max
541-02-6	Cyclopentasiloxane, decamethyl-	5% - Max
63148-62-9	Siloxanes and Silicones, di-Me	70% - 90%

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First-Aid Measures

Inhalation Move to fresh air. Aide in breathing if necessary. Get medical attention.  
Skin Contact Wash skin with water and soap.  
Eye Contact Immediately rinse eyes with running water for at least 15-30 minutes. Seek immediate medical attention.  
Ingestion DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

### Section 5. Fire Fighting Measures

Suitable Extinguishing Media Water, carbon dioxide, foam or dry chemical. Full emergency equipment with self-contained breathing apparatus and full protective clothing (turnout gear) should be worn by fire fighters.  
Unsuitable Extinguishing Media N/A

### Section 6. Accidental Release Measures

Spills and Leaks Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area. Retain and dispose of contaminated wash water.  
Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriated container. Clean up remaining materials from spill with suit suitable absorbent.

### Section 7. Handling and Storage

Product storage Store tightly sealed and away from sources of direct heat in a dry area.

## Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits	Ingredient Name	ACGIH TLV	OSHA PEL	STEL
	Treated fumed silica	N/A	N/A	N/A
	Cyclotetrasiloxane, octamethyl-	N/A	N/A	N/A
	Cyclopentasiloxane, decamethyl-	N/A	N/A	N/A
	Siloxanes and Silicones, di-Me	N/A	N/A	N/A
Personal Protective Equipment	N/A			
PPE	Personal protection equipment selection is best assigned by the user after performing a hazard assessment on the product as it is to be used in the specific work process.			

## Section 9. Physical and Chemical Properties

Physical State	Liquid
Color	Grey
Odor	N/A
Odor Threshold	N/A
Solubility	N/A
Partition coefficient Water/n-octanol	N/A
VOC%	N/A
Viscosity	1,500
Specific Gravity	1
Density lbs/Gal	N/A
Pounds per Cubic Foot	N/A
Flash Point	101 C
FP Method	Closed Cup
Ph	N/A
Melting Point	N/A
Boiling Point	200 C
Boiling Range	N/A
LEL	N/A
UEL	N/A
Evaporation Rate	N/A
Flammability	N/A
Decomposition Temperature	N/A
Auto-ignition Temperature	N/A
Vapor Pressure	N/A
Vapor Density	N/A

## Section 10. Stability and Reactivity

Reactivity	Not Classified as a reactivity hazard.
Chemical Stability	This is a stable product.
Possibility of hazardous reactivity	Use at elevated temperatures may form highly hazardous compounds. Can react with strong oxidizing agents. Hazardous decomposition products will be formed at elevated temperatures.

Incompatibility Strong oxidizing agents  
Decomposition Products Thermal Decomposition: Formaldehyde

## Section 11. Toxicological Information

Primary Route(s) of Entry Inhalation, skin contact, eye contact.  
Inhalation No significant effects expected from a single short-term exposure. Overexposure by inhalation may injure the following organ(s): Reproductive System, (Octamethylcyclotetrasiloxane) tested in animals at doses of 500-700 ppm. Vapor inhalation in animals of Decamethylcyclopentasiloxane indicate effects (uterine endometrial tumors, in female animals). Studies have not demonstrated if these effects occur through pathways that are relevant to humans.  
Skin No significant irritation expected from a single short-term exposure. No known prolonged/repeated exposure effects.  
Eye Direct contact may cause temporary redness and discomfort.  
Ingestion Low ingestion hazard in normal use. No known applicable information for prolonged/repeated exposure effects.  
Carcinogenicity No Carcinogenic substances as defined by IARC, NTP, and/or OSHA.

## Section 12. Ecological Information

No Data Available

## Section 13. Disposal

Disposal Dispose of waste in compliance with all applicable federal, state and local environmental laws and regulations. Compliance with waste laws and regulations are the responsibility of the waste generator.

## Section 14. Transport Information

UN Number N/A  
UN Proper Shipping Name Not Regulated  
DOT Classification Not Regulated.  
Packing Group N/A

## Section 15. Regulatory Information

OSHA/HCS status This product is considered hazardous by the OSHA Hazardous Communication Standard (29CFR 1910.1200).

## Section 16. Other Information

Revision Date 7/27/2015  
HMIS III Health= 0 Fire= 1 Phy Hzd= 0  
Disclaimer Information given herein is offered in good faith as accurate, but without guarantee. Conditions of use and suitability of the product for particular uses are beyond our control; all risks and use of the product are therefore assumed by the user and we expressly disclaim all warranties of ever kind and nature, including warranties of merchantability and fitness for a particular purpose in respect to

the use or suitability of the product. Appropriate warnings and safe handling procedures should be provided to handlers and users.