




Page: 1	
 Ashland always solving	
SAFETY DATA SHEET	Revision Date: 04/10/2020
	Print Date: 6/9/2021
	SDS Number: R0171547
Pliogrip™ 6600 ADHESIVE ™ Trademark, Ashland or its subsidiaries, registered in various countries 162500	Version: 1.8

29 CFR 1910.1200 (OSHA HazCom 2012)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Trade name : Pliogrip™ 6600
 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered in various countries

Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Adhesives

<p>Details of the supplier of the safety data sheet Ashland P.O. Box 2219 Columbus, OH 43216 United States of America (USA) +1-905-336-6925</p> <p>EHSProductSafety@ashland.com</p>	<p>Emergency telephone number 1-800-ASHLAND (1-800-274-5263)</p> <p>Regulatory information 1-614-790-3333</p> <p>Product Information +1-905-336-6925</p>
---	--

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Inhalation) : Category 4

Skin irritation : Category 2

Eye irritation : Category 2A

Respiratory sensitization : Category 1

Skin sensitization : Category 1

Specific target organ toxicity - single exposure : Category 3 (Respiratory system)

Specific target organ toxicity - repeated exposure : Category 2 (Respiratory system, Respiratory Tract)

**SAFETY DATA SHEET**

Revision Date: 04/10/2020

Print Date: 6/9/2021

SDS Number: R0171547

Version: 1.8

Pliogrip™ 6600 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 162500

(Inhalation)

GHS label elements

Hazard pictograms



Signal Word

: Danger

Hazard Statements

: Causes skin irritation.
 May cause an allergic skin reaction.
 Causes serious eye irritation.
 Harmful if inhaled.
 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 May cause respiratory irritation.
 May cause damage to organs (Respiratory system, Respiratory Tract) through prolonged or repeated exposure if inhaled.

Precautionary Statements

: **Prevention:**
 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.
 Wash skin thoroughly after handling.
 Use only outdoors or in a well-ventilated area.
 Contaminated work clothing must not be allowed out of the workplace.
 Wear protective gloves/ eye protection/ face protection.
 In case of inadequate ventilation wear respiratory protection.
Response:
 IF ON SKIN: Wash with plenty of soap and water.
 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 If skin irritation or rash occurs: Get medical advice/ attention.
 If eye irritation persists: Get medical advice/ attention.
 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.
 Take off contaminated clothing and wash before reuse.
Storage:
 Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal:
 Dispose of contents/ container to an approved waste disposal

**SAFETY DATA SHEET**

Revision Date: 04/10/2020

Print Date: 6/9/2021

SDS Number: R0171547

Version: 1.8

Pliogrip™ 6600 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 162500

plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Classification	Concentration (%)
POLYMER	254504001-5759	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2A; H319 Resp. Sens. 1A; H334 Skin Sens. 1A; H317 STOT SE 3; H335 STOT RE 2; H373	>= 5.00 - < 10.00

The identity and concentration of one or more component(s) is being withheld under business confidentiality.

TALC	14807-96-6	Not a hazardous substance or mixture.	22.863
4,4'-DIPHENYLMETHANE DIISOCYANATE	101-68-8	Comb Dust Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2A; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 STOT SE 3; H335	19.8382

**SAFETY DATA SHEET**

Revision Date: 04/10/2020

Print Date: 6/9/2021

SDS Number: R0171547

Version: 1.8

Pliogrip™ 6600 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 162500

		STOT RE 2; H373	
POLYMETHYLENE POLYPHENYL ISOCYANATE	9016-87-9	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2A; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 STOT SE 3; H335 STOT RE 2; H373	4.2612
1-ISOCYANATO-2-((4- ISOCYANATO- PHENYL)METHYL)-BENZ	5873-54-1	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2A; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 STOT SE 3; H335 STOT RE 2; H373	0.3551

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Immediately call a doctor.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Move to fresh air.
Immediately call a doctor.
Keep patient warm and at rest.
If unconscious, place in recovery position and seek medical advice.

**SAFETY DATA SHEET**

Revision Date: 04/10/2020

Print Date: 6/9/2021

SDS Number: R0171547

Version: 1.8

Pliogrip™ 6600 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 162500

If experiencing respiratory symptoms: Call a doctor.

- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.
 If on skin, rinse well with water.
 Wash contaminated clothing before re-use.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
 Remove contact lenses.
 Protect unharmed eye.
 If eye irritation persists: Get medical attention.
- If swallowed : Obtain medical attention.
 Do not give milk or alcoholic beverages.
 Never give anything by mouth to an unconscious person.
 If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:
 stomach or intestinal upset (nausea, vomiting, diarrhea)
 irritation (nose, throat, airways)
 Cough
 Headache
 chest pain
 lung edema (fluid buildup in the lung tissue)
 Difficulty in breathing
 Pulmonary edema may be delayed.
 Causes skin irritation.
 May cause an allergic skin reaction.
 Causes serious eye irritation.
 Harmful if inhaled.
 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 May cause respiratory irritation.
 May cause damage to organs through prolonged or repeated exposure if inhaled.
- Notes to physician : No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
 Water spray

**SAFETY DATA SHEET**

Revision Date: 04/10/2020

Print Date: 6/9/2021

SDS Number: R0171547

Version: 1.8

Pliogrip™ 6600 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 162500

Foam
 Carbon dioxide (CO₂)
 Dry chemical

Unsuitable extinguishing media : High volume water jet

Hazardous combustion products : Carbon dioxide (CO₂)
 Carbon monoxide
 Nitrogen oxides (NO_x)
 Hydrogen cyanide (hydrocyanic acid)
 Isocyanates
 Hydrocarbons

Specific extinguishing methods :

Product is compatible with standard fire-fighting agents.

Further information : Standard procedure for chemical fires.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
 Ensure adequate ventilation.
 Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
 Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent product from entering drains.
 Prevent further leakage or spillage if safe to do so.
 If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
 Keep in suitable, closed containers for disposal.

Other information : Comply with all applicable federal, state, and local regulations.

SECTION 7. HANDLING AND STORAGE

**SAFETY DATA SHEET**

Revision Date: 04/10/2020

Print Date: 6/9/2021

SDS Number: R0171547

Version: 1.8

Pliogrip™ 6600 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 162500

- Advice on safe handling : Avoid formation of aerosol.
 Provide sufficient air exchange and/or exhaust in work rooms.
 Do not breathe vapours/dust.
 Do not smoke.
 Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
 Container hazardous when empty.
 Avoid exposure - obtain special instructions before use.
 Avoid contact with skin and eyes.
 Smoking, eating and drinking should be prohibited in the application area.
 For personal protection see section 8.
 Dispose of rinse water in accordance with local and national regulations.
 Wash skin thoroughly after handling.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
 Observe label precautions.
- Materials to avoid : Keep away from oxidizing agents, strongly acid or alkaline materials, as well as of amines, alcohols and water.
 For incompatible materials see section 10.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
TALC	14807-96-6	TWA	20 Million particles per cubic foot Dust	OSHA Z-3
		TWA	2 mg/m3 respirable dust fraction	OSHA P0
		TWA	2 mg/m3 Respirable	NIOSH REL
		PEL	2 mg/m3 Respirable dust	CAL PEL

**SAFETY DATA SHEET**

Revision Date: 04/10/2020

Print Date: 6/9/2021

SDS Number: R0171547

Version: 1.8

Pliogrip™ 6600 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 162500

		TWA	2 mg/m3 Respirable particulate matter	ACGIH
4,4'-DIPHENYLMETHANE DIISOCYANATE	101-68-8	TWA	0.005 ppm	ACGIH
POLYMETHYLENE POLYPHENYL ISOCYANATE	9016-87-9	C	0.02 ppm 0.2 mg/m3	OSHA Z-1
		C	0.02 ppm 0.2 mg/m3	OSHA P0
		TWA	0.005 ppm 0.05 mg/m3	NIOSH REL
		C	0.02 ppm 0.2 mg/m3	NIOSH REL
		PEL	0.005 ppm 0.051 mg/m3	CAL PEL

Hazardous components without workplace control parameters

Components	CAS-No.
POLYMER	254504001-5759
POLYMETHYLENE POLYPHENYL ISOCYANATE	9016-87-9
1-ISOCYANATO-2-((4- ISOCYANATO- PHENYL)METHYL)-BENZ	5873-54-1

Engineering measures : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Respiratory protection : In the case of vapour formation use a respirator with an approved filter within the capabilities of the respirator/filter combination.
 Where concentrations are above recommended limits or are unknown, or a cartridge type respirator is not adequate, wear a positive-pressure supplied-air respirator.

Hand protection

Material : butyl-rubber
 Break through time : 480 min
 Glove thickness : > 0.5 mm

Remarks : The exact break through time can be obtained from the protective glove producer and this has to be observed. Gloves should be discarded and replaced if there is any indication of

**SAFETY DATA SHEET**

Revision Date: 04/10/2020

Print Date: 6/9/2021

SDS Number: R0171547

Version: 1.8

Pliogrip™ 6600 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 162500

degradation or chemical breakthrough.

- Eye protection : Wear chemical splash goggles when there is the potential for exposure of the eyes to liquid, vapor or mist.
- Skin and body protection : Wear as appropriate:
 Impervious clothing
 Safety shoes
 Choose body protection according to the amount and concentration of the dangerous substance at the work place.
 Discard gloves that show tears, pinholes, or signs of wear.
 Wear resistant gloves (consult your safety equipment supplier).
- Hygiene measures : Wash hands before breaks and at the end of workday.
 When using do not eat or drink.
 When using do not smoke.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Physical state : liquid
- Colour : brown
- Odour : mild, musty
- Odour Threshold : No data available
- pH : No data available
- Melting point/freezing point : not determined
- Boiling point/boiling range : 392 °F / 200 °C
 (6.666667 hPa)
 Calculated Phase Transition Liquid/Gas
- Flash point : > 121 °C
- Evaporation rate : 1
 Ethyl Ether = 1
- Flammability (liquids) : not determined
- Upper explosion limit : Upper explosion limit
 not determined

**SAFETY DATA SHEET**

Revision Date: 04/10/2020

Print Date: 6/9/2021

SDS Number: R0171547

Version: 1.8

Pliogrip™ 6600 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 162500

Lower explosion limit : Lower explosion limit
not determined

Vapour pressure : 0.0133333 hPa (20 °C)
Calculated Vapor Pressure

Relative vapour density : > 1(Air = 1.0)

Relative density : 1.265 (68.00 °F)

Density : 1.265 g/cm3 (68.00 °F)

Solubility(ies)
 Water solubility : not determined

Solubility in other solvents : No data available

Partition coefficient: n-
 octanol/water : not determined

Auto-ignition temperature : No data available

Thermal decomposition : No data available

Viscosity
 Viscosity, dynamic : not determined

Viscosity, kinematic : not determined

Oxidizing properties : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous
 reactions : Product will not undergo hazardous polymerization.

Conditions to avoid : temperatures above 350 degrees F (177 degrees C)
 Freezing temperatures.
 Exposure to moisture

Incompatible materials : Acids

**SAFETY DATA SHEET**

Revision Date: 04/10/2020

Print Date: 6/9/2021

SDS Number: R0171547

Version: 1.8

Pliogrip™ 6600 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 162500

Alcohols
 alkenes
 aluminum
 Amines
 Ammonia
 Bases
 Copper alloys
 Iron
 strong alkalis
 water
 Zinc

Keep away from oxidizing agents, strongly acid or alkaline
 materials, as well as of amines, alcohols and water.
 Refer to section 10.

Acids
 Alcohols
 alkenes
 aluminum
 Amines
 Ammonia
 Bases
 Copper alloys
 Iron
 strong alkalis
 water
 Zinc

Hazardous decomposition
 products

Carbon monoxide
 Carbon dioxide (CO₂)
 Nitrogen oxides (NO_x)
 Hydrocarbons
 Acetone

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
 Skin contact
 Eye Contact
 Ingestion

Acute toxicity
 Harmful if inhaled.

**SAFETY DATA SHEET**

Revision Date: 04/10/2020

Print Date: 6/9/2021

SDS Number: R0171547

Version: 1.8

Pliogrip™ 6600 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 162500

Components:**POLYMER:**

- Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
 Method: OECD Test Guideline 425
 GLP: yes
- Acute inhalation toxicity : Assessment: The component/mixture is classified as acute
 inhalation toxicity, category 4.
- Acute dermal toxicity : (Rabbit): > 9,400 mg/kg
 Remarks: Information given is based on data obtained from
 similar substances.

Components:**TALC:**

- Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
 Method: OECD Test Guideline 423

4,4'-DIPHENYLMETHANE DIISOCYANATE:

- Acute oral toxicity : LD50 (Rat): 9,200 mg/kg
- Acute inhalation toxicity : LC50 (Rat): > 2.24 mg/l
 Exposure time: 1 h
 Test atmosphere: dust/mist
 Method: OECD Test Guideline 403
 Assessment: The component/mixture is classified as acute
 inhalation toxicity, category 4.
- Acute dermal toxicity : LD50 (Rabbit): > 7,900 mg/kg

POLYMETHYLENE POLYPHENYL ISOCYANATE:

- Acute oral toxicity : LD50 (Rat): > 10,000 mg/kg
- Acute inhalation toxicity : LC50 (Rat): > 2.24 mg/l
 Exposure time: 1 h
 Test atmosphere: dust/mist
 Method: OECD Test Guideline 403
 Assessment: The component/mixture is classified as acute
 inhalation toxicity, category 4.
- Acute dermal toxicity : LD50 (Rabbit): > 10,000 mg/kg

1-ISOCYANATO-2-((4-ISOCYANATO-PHENYL)METHYL)-BENZ:

- Acute oral toxicity : LD50 (Rat): > 10,000 mg/kg

**SAFETY DATA SHEET**

Revision Date: 04/10/2020

Print Date: 6/9/2021

SDS Number: R0171547

Pliogrip™ 6600 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 162500

Version: 1.8

Remarks: Information given is based on data obtained from similar substances.

Acute inhalation toxicity : LC50 (Rat): > 2.24 mg/l
 Exposure time: 1 h
 Test atmosphere: dust/mist
 Method: OECD Test Guideline 403
 Assessment: The component/mixture is classified as acute inhalation toxicity, category 4.
 Remarks: Information given is based on data obtained from similar substances.

Acute dermal toxicity : LD50 (Rabbit): > 9,400 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Product:

Remarks: May cause skin irritation and/or dermatitis.

Components:

POLYMER:

Result: Irritating to skin.

Remarks: Information given is based on data obtained from similar substances.

Components:

TALC:

Species: reconstructed human epidermis (RhE)

Result: No skin irritation

4,4'-DIPHENYLMETHANE DIISOCYANATE:

Result: Irritating to skin.

POLYMETHYLENE POLYPHENYL ISOCYANATE:

Result: Irritating to skin.

1-ISOCYANATO-2-((4-ISOCYANATO-PHENYL)METHYL)-BENZ:

Result: Irritating to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin., Causes serious eye irritation.

Components:

POLYMER:

Result: Irritating to eyes.

**SAFETY DATA SHEET**

Revision Date: 04/10/2020

Print Date: 6/9/2021

SDS Number: R0171547

Version: 1.8

Pliogrip™ 6600 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 162500

Components:

TALC:

Species: Rabbit

Result: Slight, transient irritation

Method: OECD Test Guideline 405

4,4'-DIPHENYLMETHANE DIISOCYANATE:

Result: Irritating to eyes.

POLYMETHYLENE POLYPHENYL ISOCYANATE:

Result: Irritating to eyes.

1-ISOCYANATO-2-((4-ISOCYANATO-PHENYL)METHYL)-BENZ:

Result: Irritating to eyes.

Respiratory or skin sensitisation

Skin sensitisation: May cause an allergic skin reaction.

Respiratory sensitisation: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:

POLYMER:

Test Type: Maximisation Test

Species: Guinea pig

Assessment: May cause sensitisation by skin contact.

Result: The product is a skin sensitiser, sub-category 1A.

Assessment: May cause sensitisation by inhalation.

Result: The product is a respiratory sensitiser, sub-category 1A.

Components:

TALC:

Test Type: Maximisation Test

Species: Guinea pig

Assessment: Did not cause sensitisation on laboratory animals.

Method: OECD Test Guideline 406

4,4'-DIPHENYLMETHANE DIISOCYANATE:

Assessment: May cause sensitisation by inhalation.

Assessment: May cause sensitisation by skin contact.

POLYMETHYLENE POLYPHENYL ISOCYANATE:

Assessment: May cause sensitisation by skin contact.

**SAFETY DATA SHEET**

Revision Date: 04/10/2020

Print Date: 6/9/2021

SDS Number: R0171547

Version: 1.8

Pliogrip™ 6600 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 162500

Assessment: May cause sensitisation by inhalation.

1-ISOCYANATO-2-((4-ISOCYANATO-PHENYL)METHYL)-BENZ:

Assessment: May cause sensitisation by inhalation.

Assessment: May cause sensitisation by skin contact.

Germ cell mutagenicity

Not classified based on available information.

Components:

POLYMER:

Genotoxicity in vitro : Test Type: Ames test
 Result: negative
 Remarks: Information given is based on data obtained from similar substances.

Genotoxicity in vivo : Test Type: In vivo micronucleus test
 Test species: Rat
 Method: OECD Test Guideline 474
 Remarks: Information given is based on data obtained from similar substances.

Components:

TALC:

Genotoxicity in vitro : Test Type: In vitro gene mutation study in bacteria
 Test species: Salmonella typhimurium
 Metabolic activation: with and without metabolic activation
 Result: negative

: Test Type: In vitro gene mutation study in bacteria
 Test species: Saccharomyces cerevisiae
 Metabolic activation: with and without metabolic activation
 Result: negative

Genotoxicity in vivo : Test Type: dominant lethal test
 Test species: Rat (male)
 Cell type: Bone marrow
 Result: negative

1-ISOCYANATO-2-((4-ISOCYANATO-PHENYL)METHYL)-BENZ:

Genotoxicity in vitro : Test Type: Ames test
 Test species: Salmonella typhimurium
 Metabolic activation: with and without metabolic activation
 Result: negative

Genotoxicity in vivo : Test Type: chromosome aberration assay


SAFETY DATA SHEET

Revision Date: 04/10/2020

Print Date: 6/9/2021

SDS Number: R0171547

Version: 1.8

Pliogrip™ 6600 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 162500

Test species: Rat
 Cell type: Bone marrow
 Method: OECD Test Guideline 474
 Remarks: Information given is based on data obtained from
 similar substances.

Carcinogenicity

Not classified based on available information.

Product:

Carcinogenicity - Assessment : Methylene bisphenylisocyanate (MDI) aerosol has been reported to be irritating to lungs at a concentration of 1 mg/m³ with no effect observed at 0.2 mg/m³. Although MDI has been reported to cause an increase in non-carcinogenic lung tumors and a single carcinogenic lung tumor at very high concentrations (6 mg/m³), it is not classified as a carcinogen by IARC, NTP or OSHA.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause respiratory irritation.

Components:

POLYMER:

Exposure routes: Inhalation

Target Organs: Respiratory Tract

Assessment: May cause respiratory irritation.

Components:

4,4'-DIPHENYLMETHANE DIISOCYANATE:

Exposure routes: Inhalation

Target Organs: Respiratory system

Assessment: May cause respiratory irritation.

POLYMETHYLENE POLYPHENYL ISOCYANATE:

Exposure routes: Inhalation

Target Organs: Respiratory system

Assessment: May cause respiratory irritation.

1-ISOCYANATO-2-((4-ISOCYANATO-PHENYL)METHYL)-BENZ:

Exposure routes: Inhalation

Target Organs: Respiratory system

Assessment: May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs (Respiratory system, Respiratory Tract) through prolonged or repeated exposure if inhaled.

Components:

**SAFETY DATA SHEET**

Revision Date: 04/10/2020

Print Date: 6/9/2021

SDS Number: R0171547

Version: 1.8

Pliogrip™ 6600 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 162500

POLYMER:

Exposure routes: Inhalation

Target Organs: Respiratory Tract

Assessment: May cause damage to organs through prolonged or repeated exposure.

Components:**4,4'-DIPHENYLMETHANE DIISOCYANATE:**

Exposure routes: Inhalation

Target Organs: Respiratory system

Assessment: May cause damage to organs through prolonged or repeated exposure.

POLYMETHYLENE POLYPHENYL ISOCYANATE:

Exposure routes: Inhalation

Target Organs: Respiratory system

Assessment: May cause damage to organs through prolonged or repeated exposure.

1-ISOCYANATO-2-((4-ISOCYANATO-PHENYL)METHYL)-BENZ:

Exposure routes: Inhalation

Target Organs: Respiratory system

Assessment: May cause damage to organs through prolonged or repeated exposure.

Aspiration toxicity

Not classified based on available information.

Further information**Product:**

Remarks: No data available

Carcinogenicity:**IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Ecotoxicology Assessment

Short-term (acute) aquatic : Not classified based on available information.

**SAFETY DATA SHEET**

Revision Date: 04/10/2020

Print Date: 6/9/2021

SDS Number: R0171547

Version: 1.8

Pliogrip™ 6600 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 162500

hazard

Long-term (chronic) aquatic hazard : Not classified based on available information.

Components:**POLYMER:**

Toxicity to fish : LC50 (*Oryzias latipes* (Japanese medaka)): > 3,000 mg/l
 Exposure time: 96 h
 Test Type: semi-static test
 Remarks: Information given is based on data obtained from similar substances.

Toxicity to daphnia and other aquatic invertebrates : (*Daphnia magna* (Water flea)): > 1,000 mg/l
 Exposure time: 24 h
 Test Type: static test
 Method: OECD Test Guideline 202
 Remarks: Information given is based on data obtained from similar substances.

Toxicity to algae : NOEC (*Desmodesmus subspicatus* (green algae)): 1,640 mg/l
 End point: Growth inhibition
 Exposure time: 72 h
 Test Type: static test
 Method: OECD Test Guideline 201
 Remarks: Information given is based on data obtained from similar substances.

4,4'-DIPHENYLMETHANE DIISOCYANATE:

Toxicity to fish : LC50 (*Oryzias latipes* (Orange-red killifish)): > 3,000 mg/l
 Exposure time: 96 h
 Test Type: semi-static test
 Remarks: Information given is based on data obtained from similar substances.

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 100 mg/l
 Exposure time: 24 h
 Test Type: static test
 Method: OECD Test Guideline 202
 Remarks: Information given is based on data obtained from similar substances.

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): > 10 mg/l
 Exposure time: 21 d
 End point: Reproduction Test
 Test Type: semi-static test
 Method: OECD Test Guideline 211

**SAFETY DATA SHEET**

Revision Date: 04/10/2020

Print Date: 6/9/2021

SDS Number: R0171547

Version: 1.8

Pliogrip™ 6600 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 162500

Remarks: Information given is based on data obtained from similar substances.

POLYMETHYLENE POLYPHENYL ISOCYANATE:

Toxicity to fish : LC50 (*Oryzias latipes* (Orange-red killifish)): > 3,000 mg/l
 Exposure time: 96 h
 Test Type: semi-static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 100 mg/l
 Exposure time: 24 h
 Test Type: static test
 Method: OECD Test Guideline 202

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): > 10 mg/l
 Exposure time: 21 d
 End point: Reproduction Test
 Test Type: semi-static test
 Method: OECD Test Guideline 211

1-ISOCYANATO-2-((4-ISOCYANATO-PHENYL)METHYL)-BENZ:

Toxicity to fish : LC50 (*Oryzias latipes* (Orange-red killifish)): > 3,000 mg/l
 Exposure time: 96 h
 Test Type: semi-static test
 Remarks: Information given is based on data obtained from similar substances.

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 100 mg/l
 Exposure time: 24 h
 Test Type: static test
 Method: OECD Test Guideline 202
 Remarks: Information given is based on data obtained from similar substances.

Toxicity to algae : EC50 (*Desmodesmus subspicatus* (green algae)): > 1,640 mg/l
 End point: Growth inhibition
 Exposure time: 72 h
 Test Type: static test
 Method: OECD Test Guideline 201
 Remarks: Information given is based on data obtained from similar substances.

NOELR (*Desmodesmus subspicatus* (green algae)): 1,640 mg/l
 End point: Growth inhibition
 Exposure time: 72 h
 Test Type: static test

**SAFETY DATA SHEET**

Revision Date: 04/10/2020

Print Date: 6/9/2021

SDS Number: R0171547

Version: 1.8

Pliogrip™ 6600 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 162500

Method: OECD Test Guideline 201

Remarks: Information given is based on data obtained from similar substances.

Persistence and degradability**Components:****POLYMER:**

Biodegradability : Result: Not readily biodegradable.
 Biodegradation: 0 %
 Exposure time: 28 d
 Method: OECD Test Guideline 302C

TALC:

Biodegradability : Result: The methods for determining biodegradability are not applicable to inorganic substances.

4,4'-DIPHENYLMETHANE DIISOCYANATE:

Biodegradability : Result: Not biodegradable
 Biodegradation: 0 %
 Exposure time: 28 d
 Method: OECD Test Guideline 302C
 Remarks: Information given is based on data obtained from similar substances.

POLYMETHYLENE POLYPHENYL ISOCYANATE:

Biodegradability : Result: Not biodegradable
 Biodegradation: 0 %
 Exposure time: 28 d
 Method: OECD Test Guideline 302C
 Remarks: Information given is based on data obtained from similar substances.

1-ISOCYANATO-2-((4-ISOCYANATO-PHENYL)METHYL)-BENZ:

Biodegradability : Result: Not readily biodegradable.

No data available

Bioaccumulative potential**Components:**

No data available

Mobility in soil**Components:**

No data available

Other adverse effects

No data available

Product:

Additional ecological information : No data available

**SAFETY DATA SHEET**

Revision Date: 04/10/2020

Print Date: 6/9/2021

SDS Number: R0171547

Version: 1.8

Pliogrip™ 6600 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 162500

Components:**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

- General advice : Do not dispose of waste into sewer.
 Do not contaminate ponds, waterways or ditches with
 chemical or used container.
 Send to a licensed waste management company.
- Dispose of in accordance with all applicable local, state and
 federal regulations.
- Contaminated packaging : Empty remaining contents.
 Dispose of as unused product.
 Empty containers should be taken to an approved waste
 handling site for recycling or disposal.
 Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION**International transport regulations****REGULATION**

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.

MX_DG

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS

Not dangerous goods

**SAFETY DATA SHEET**

Revision Date: 04/10/2020

Print Date: 6/9/2021

SDS Number: R0171547

Version: 1.8

Pliogrip™ 6600 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 162500

TDG_INWT_C

Not dangerous goods

TDG_RAIL_C

Not dangerous goods

TDG_ROAD_C

Not dangerous goods

U.S. DOT - INLAND WATERWAYS

Not dangerous goods

CFR_RAIL_C

Not dangerous goods

U.S. DOT - ROAD

Not dangerous goods

***ORM = ORM-D, CBL = COMBUSTIBLE LIQUID**

Marine pollutant	no
------------------	----

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

**EPCRA - Emergency Planning and Community Right-to-Know Act
 CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
4,4'-DIPHENYLMETHANE DIISOCYANATE	101-68-8	5000	25203

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Acute toxicity (any route of exposure)

**SAFETY DATA SHEET**

Revision Date: 04/10/2020

Print Date: 6/9/2021

SDS Number: R0171547

Version: 1.8

Pliogrip™ 6600 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 162500

Skin corrosion or irritation
 Serious eye damage or eye irritation
 Respiratory or skin sensitisation
 Specific target organ toxicity (single or repeated exposure)

SARA 302 : This material does not contain any components with a section 302 EHS TPQ.

SARA 313 The following components are subject to reporting levels established by SARA Title III, Section 313:

4,4'-DIPHENYLMETHANE	101-68-8	19.83 %
DIISOCYANATE		
POLYMETHYLENE	9016-87-9	4.26 %
POLYPHENYL		
ISOCYANATE		

California Prop. 65

WARNING: This product can expose you to chemicals including Quartz, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

ENCS : Not in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : On or in compliance with the active portion of the TSCA inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)
 - On or in compliance with the active portion of the TSCA inventory

**SAFETY DATA SHEET**

Revision Date: 04/10/2020

Print Date: 6/9/2021


SDS Number: R0171547

Version: 1.8

Pliogrip™ 6600 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 162500

SECTION 16. OTHER INFORMATION**Further information**

Revision Date: 04/10/2020

NFPA:	HMIS III:						
<p style="text-align: center;">Flammability</p>  <p style="text-align: center;">Special hazard</p>	<table border="1" style="width: 100%;"> <tr> <td style="background-color: blue; color: white; text-align: center;">HEALTH</td> <td style="width: 50px;"></td> </tr> <tr> <td style="background-color: red; color: white; text-align: center;">FLAMMABILITY</td> <td></td> </tr> <tr> <td style="background-color: yellow; text-align: center;">PHYSICAL HAZARD</td> <td></td> </tr> </table> <p>0 = not significant, 1 = Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic</p>	HEALTH		FLAMMABILITY		PHYSICAL HAZARD	
HEALTH							
FLAMMABILITY							
PHYSICAL HAZARD							

NFPA Flammable and Combustible Liquids Classification

Combustible Liquid Class IIIB

Full text of H-Statements

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure if inhaled.

Sources of key data used to compile the Safety Data Sheet

Ashland internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

**SAFETY DATA SHEET**

Revision Date: 04/10/2020

Print Date: 6/9/2021

SDS Number: R0171547

Version: 1.8

Pliogrip™ 6600 ADHESIVE
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 162500

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Ashland's Environmental Health and Safety Department (1-800-325-3751).

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative



1-800-375-0605
 Option 8 for 24/7 Service



6550 Oley Speaks Way
 Canal Winchester, OH 43110



www.rudolphbros.com
rbcsupport@rudbro.com