

# **100% EMPLOYEE OWNED SINCE 2023**

1-800-375-0605 | rbcsupport@rudbro.com | www.rudolphbros.com

# Safety Data Sheet



Revision Number: 004.0

Product name: Product type/

# **1. IDENTIFICATION**

LOCTITE EA 956 AERO PART A QT Part A of 2-K-Epoxy Adhesive

**Recommended use: Restriction of Use:** None identified Company address: Henkel Corporation One Henkel Way Rocky Hill, Connecticut 06067

**IDH number:** Item number: 936914 AA9112016

**Region:** United States Contact information: Telephone: +1 (860) 571-5100 MEDICAL EMERGENCY Phone: Poison Control Center 1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887 MEDICAL EMERGENCY Phone: Poison Control Center 1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887 Internet: www.henkelna.com

# 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW		
WARNING:	H302 - HARMFUL IF SWALLOWED.	
	H315 - CAUSES SKIN IRRITATION.	
	H317 - MAY CAUSE AN ALLERGIC SKIN REACTION.	
	H319 - CAUSES SERIOUS EYE IRRITATION.	
	H341 - SUSPECTED OF CAUSING GENETIC DEFECTS.	

HAZARD CLASS	HAZARD CATEGORY
ACUTE TOXICITY ORAL	4
SKIN IRRITATION	2
EYE IRRITATION	2A
SKIN SENSITIZATION	1
GERM CELL MUTAGENICITY	2

## PICTOGRAM(S)



### **Precautionary Statements**

Prevention:	<ul> <li>P201 - Obtain special instructions before use.</li> <li>P202 - Do not handle until all safety precautions have been read and understood.</li> <li>P261 - Avoid breathing mist/vapours.</li> <li>P264 - Wash affected area thoroughly after handling.</li> <li>P270 - Do not eat, drink or smoke when using this product.</li> <li>P272 - Contaminated work clothing should not be allowed out of the workplace.</li> </ul>
Response:	<ul> <li>P280 - Wear protective gloves, clothing, eye and face protection.</li> <li>P301+P312+P330 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</li> <li>P302+P352 - IF ON SKIN: Wash with plenty of water.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P308+P313 - IF exposed or concerned: Get medical attention.</li> <li>P333+P313 - If skin irritation or rash occurs: Get medical attention.</li> </ul>
Storage: Disposal:	P337+P313 - If eye irritation persists: Get medical attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P405 - Store locked up. P501 - Dispose of contents and/or container according to Federal, State/Provincial and local
IDH number: 936914	Product name: LOCTITE EA 956 AERO PART A QT

#### governmental regulations.

#### Other hazards Not available.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

#### See Section 11 for additional toxicological information.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Component(s)	CAS Number	Weight %*
Triglycidyl-p-aminophenol	5026-74-4	30 - 60
Phenol polymer with formaldehyde, glycidyl ether	28064-14-4	30 - 60

\* Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

#### Non hazardous components

Actual concentration or concentration range is withheld as a trade secret

4.	FIRST	AID	MEASURES	3
----	-------	-----	----------	---

#### First Aid Measures by likely routes of exposure

Inhalation:	If inhaled, immediately remove the affected person to fresh air. If symptoms develop and persist, get medical attention.
Skin contact:	Remove contaminated clothing and footwear. Immediately wash skin thoroughly with soap and water. If symptoms develop and persist, get medical attention.
Eye contact:	In case of contact with the eyes, rinse immediately with plenty of water for 15 minutes, and seek immediate medical attention.
Ingestion:	Get immediate medical attention. Do not induce vomiting.
Most important symptoms and effects (acute and delayed):	The most important known symptoms and effects, both acute and delayed, are described in Section 11: Toxicological Information.
Indication of any immediate medical attention / special treatment needed:	Treat symptomatically and supportively.
5. FIRE FIGHTING MEASURES	

Water spray (fog), foam, dry chemical or carbon dioxide.
Not available.
Wear full protective clothing. Wear self-contained breathing apparatus.
May liberate large quantities of dense, foul-smelling smoke which may contain unidentified toxic gasses.
Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. Oxides of nitrogen.

# 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

**Environmental precautions:** 

Do not allow product to enter sewer or waterways. Wear appropriate protective equipment and clothing during clean-up. Prevent further leakage or spillage if safe to do so.

 Clean-up methods:
 For large spills absorb onto inert absorbent material and place in sealed container for disposal. Dispose of according to Federal, State and local governmental regulations.

 **7. HANDLING AND STORAGE** 

 Handling:
 For the Part A plus Part B adhesive mixture, follow curing schedule as recommended in product literature. Do not heat Part A at temperatures greater than 80 °C (176 °F). This material may self-react at higher temperatures and cause an exotherm. The exotherm has the potential for release of excessive energy and toxic gasses. Empty containers retain product residue, so obey hazard warnings and handle empty containers as if they were full.

 **Storage:** For safe storage, store at or below 4 °C (39.2 °F) Keep container tightly closed and in a cool, well-ventilated place away from incompatible materials.

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
None	None	None	None	None
Engineering controls:			entilation to effectively sts generated from the	
Respiratory protection:			tively prevent buildup of espiratory protection n	
Eye/face protection:	Wear safety gl	asses; chemical gogg	les (if splashing is pos	sible).
Skin protection:	Wear impervio boots are reco		ed contact. Use of imp	ervious apron and

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Liquid
Color:	Amber
Odor:	Epoxy
Odor threshold:	Not available.
pH:	Product is non-soluble (in water)., Not applicable
Vapor pressure:	< 0.1 hPa (20 °C (68°F))
Boiling point/range:	> 200 °C (> 392°F)
Melting point/ range:	Not applicable, Product is a liquid
Density/Relative density:	1.22
Relative vapor density:	> 1 20 °C
Flash point:	> 93 °C (> 199.4 °F) ; Estimated
Flammable/Explosive limits - lower:	Not available.
Flammable/Explosive limits - upper:	Not available.
Autoignition temperature:	Not applicable
Flammability:	The product is not flammable.
Evaporation rate:	Not applicable
Solubility:	Not soluble Water
Solubility:	Partially miscible ketones
Partition coefficient n-octanol/water	Not available.
(logarithmic value):	
VOC content:	< 10 g/l per SCAQMD Rule 1124 [EPA Test Method 24/304-91] (estimated)
Dynamic viscosity:	> 20 mPa.s
Kinematic viscosity:	> 20 mm2/s
Particle characteristics:	Not applicable, Product is a liquid
Decomposition temperature:	> 200 °C

# **10. STABILITY AND REACTIVITY**

Stability:	Stable at normal conditions.
Hazardous reactions:	May occur.
Hazardous decomposition products:	Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. Oxides of nitrogen.
Incompatible materials:	Keep away from strong oxidizing agents, strong Lewis or mineral acids.
Reactivity:	Not available.
Conditions to avoid:	Avoid mixing resin (Part A) and curing agent (Part B) unless you plan to use immediately. Do not heat mixed adhesive unless curing surfaces to be bonded. Failure to observe these precautions may result in excessive heat build-up causing an exotherm.

# 11. TOXICOLOGICAL INFORMATION

Likely routes of exposure:	Skin, Inhalation, Eyes, Ingestion
Likely routes of exposure:	Skin, Inhalation, Eyes, Ingestion

Potential Health Effects/Symptoms

Inhalation: Inhalation: Skin contact:	May cause respiratory tract irritation. May cause respiratory tract irritation. This product may cause irritation to the skin. This product may cause an allergic skin reaction.
Skin contact:	This product may cause irritation to the skin. May cause allergic skin reaction. Causes skin
	irritation.
Eye contact:	This product may cause irritation to the eyes.
Eye contact:	This product may cause irritation to the eyes. Causes serious eye irritation.
Ingestion:	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Ingestion:	

Hazardous Component(s)	LD50s and LC50s
Triglycidyl-p-aminophenol	None
Phenol polymer with formaldehyde, glycidyl ether	None

Hazardous Component(s)	Immediate Health Effects	Delayed Health Effects	Chronic Health Effects
Triglycidyl-p-aminophenol	Irritant	Allergen	Mutagen
Phenol polymer with formaldehyde, glycidyl ether	Irritant	Allergen	

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Triglycidyl-p-aminophenol	No	No	No
Phenol polymer with formaldehyde, glycidyl ether	No	No	No

# 12. ECOLOGICAL INFORMATION

**Ecological information:** 

Not available.

# **13. DISPOSAL CONSIDERATIONS**

### Information provided is for unused product only.

Recommended method of disposal:

Dispose of according to Federal, State and local governmental regulations.

# **14. TRANSPORT INFORMATION**

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any packaging.

## U.S. Department of Transportation Ground (49 CFR)

Proper shipping name: Hazard class or division: Identification number: Packing group:	Not regulated None None None
International Air Transportation (ICAO/IATA	
Proper shipping name:	Environmentally hazardous substance, liquid, n.o.s. (Triglycidyl-p-aminophenol, Bisphenol-F Epichlorhydrin resin)
Hazard class or division:	9
Identification number:	UN 3082
Packing group:	III
Water Transportation (IMO/IMDG)	
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Triglycidyl-p- aminophenol, Bisphenol-F Epichlorhydrin resin)
Hazard class or division:	9
Identification number:	UN 3082
Packing group:	
Marine pollutant:	Triglycidyl-p-aminophenol, Bisphenol-F Epichlorhydrin resin

## **15. REGULATORY INFORMATION**

United States Regulatory Information TSCA 8 (b) Inventory Status:	All components are listed as active or are exempt from listing on the Toxic Substances
	Control Act (TSCA) inventory.
TSCA 12 (b) Export Notification:	Triglycidyl-p-aminophenol (CAS# 5026-74-4).
CERCLA/SARA Section 302 EHS:	None above reporting de minimis.
CERCLA/SARA Section 311/312:	Please refer to the GHS classification in Section 2
CERCLA/SARA Section 313:	None above reporting de minimis.
California Proposition 65:	This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.
Canada Regulatory Information	
CEPA DSL/NDSL Status:	All components are listed on or are exempt from listing on the Canadian Domestic Substances List.

## **16. OTHER INFORMATION**

This safety data sheet contains changes from the previous version in sections: New Material Safety Data Sheet format.

Prepared by: F	Product Safety and Regulatory Affairs
----------------	---------------------------------------

Issue date: 01/14/2025

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This Safety Data Sheet has been generated based on OSHA Hazard Communication Standard (29 CFR 1910.1200) and provides information in accordance with U.S. federal law only. No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.