

EMPLOYEE OWNED SINCE 2023

1-800-375-0605 | rbcsupport@rudbro.com | www.rudolphbros.com



Revision Number: 002.2

1. PRODUCT AND COMPANY IDENTIFICATION

Product name:

LOCTITE EA 9695 050NW AERO known as HYSOL EA 9695 .050 PSF

Product type/use: Adhes Restriction of Use: None i Company address: Henkel Corporation One Henkel Way Rocky Hill, Connecticut 06067

NW Adhesive for the Aerospace Industry None identified IDH number:

1073960

 Item number:
 AT9327507

 Region:
 United States

 Contact information:
 Telephone: +1 (860) 571-5100

 MEDICAL EMERGENCY Phone: Poison Control Center
 1-877-671-4608 (toll free) or 1-303-592-1711

 TRANSPORT EMERGENCY Phone: CHEMTREC
 1-800-424-9300 (toll free) or 1-703-527-3887

 Internet: www.henkelna.com
 Internet:

2. HAZARDS IDENTIFICATION

WARNING:

EMERGENCY OVERVIEW CAUSES SKIN IRRITATION. MAY CAUSE AN ALLERGIC SKIN REACTION. CAUSES SERIOUS EYE IRRITATION.

| HAZARD CLASS | HAZARD CATEGORY |
|--------------------|-----------------|
| SKIN IRRITATION | 2 |
| EYE IRRITATION | 2A |
| SKIN SENSITIZATION | 1 |



Precautionary Statements

| Prevention: | Avoid breathing dust or fumes. Wash affected area thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves, eye protection, and face protection. |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Response: | IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical attention. If eye irritation persists: Get medical attention. Take off contaminated clothing. |
| Storage: | Not prescribed |
| Disposal: | Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations. |

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Hazardous Component(s) | CAS Number | Percentage* |
|----------------------------------------------------|------------|-------------|
| Tetraglycidyl diaminodiphenylmethane | 28768-32-3 | 10 - 30 |
| Epoxy resin~ | | 10 - 30 |
| Epichlorohydrin-4,4'-isopropylidene diphenol resin | 25068-38-6 | 10 - 30 |

IDH number: 1073960

Product name: LOCTITE EA 9695 050NW AERO known as HYSOL EA 9695 .050 PSF NW Page 1 of 5

| Treated fumed silica | 67762-90-7 | 1 - 5 |
|----------------------|------------|-------|
|----------------------|------------|-------|

* Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

| 4. | FIRST AID MEASURES |
|-------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Inhalation: | If inhaled, immediately remove the affected person to fresh air. If symptoms develop and persist, get medical attention. |
| Skin contact: | Immediately wash skin thoroughly with soap and water. If symptoms develop and persist, get medical attention. |
| Eye contact: | Immediately flush eyes with water for at least 15 minutes, while holding eyelids open. Seek medical attention at once. |
| Ingestion: | Get immediate medical attention. Do not induce vomiting. |
| Symptoms: | See Section 11. |
| Notes to physician: | Treat symptomatically and supportively. |
| 5. F | IRE FIGHTING MEASURES |
| Extinguishing media: | Water spray (fog), foam, dry chemical or carbon dioxide. |
| Special firefighting procedures: | Wear full protective clothing. Wear self-contained breathing apparatus. |
| Unusual fire or explosion hazards: | May liberate large quantities of dense, foul-smelling smoke which may contai unidentified toxic gasses. |
| Hazardous combustion products: | Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. Oxides of nitrogen. |
| 6. ACCI | DENTAL RELEASE MEASURES |
| e personal protection recommended in Section protected personnel. | on 8, isolate the hazard area and deny entry to unnecessary and |
| Environmental precautions: | Prevent further leakage or spillage if safe to do so. Wear appropriate protective equipment and clothing during clean-up. Do not allow product to enter sewer or waterways. |
| Clean-up methods: | Scrape up spilled material and place in a closed container for disposal. Dispose of according to Federal, State and local governmental regulations. |
| 7 H | ANDLING AND STORAGE |

Handling:

Storage:

For industrial use only. Keep container tightly closed and in a cool, well-ventilated place away from incompatible materials.

Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Do not breathe fumes or dust from this material. Use only in well-ventilated areas.

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

| Hazardous Component(s) | ACGIH TLV | OSHA PEL | AIHA WEEL | OTHER |
|----------------------------------------------------|------------------------------------------------------------------------|--------------------------------------------------------------------|-----------|-------|
| Tetraglycidyl diaminodiphenylmethane | None | None | None | None |
| Epoxy resin~ | None | None | None | None |
| Epichlorohydrin-4,4'-isopropylidene diphenol resin | None | None | None | None |
| Treated fumed silica | 10 mg/m3 TWA Inhalable dust. 3 mg/m3 TWA Respirable fraction. | 15 mg/m3 TWA Total dust. 5 mg/m3 TWA Respirable fraction. | None | None |

Engineering controls:

Respiratory protection:

Ventilation should effectively remove and prevent buildup of any dust generated from the handling of this product.

When dusts or thermal processing fumes are generated and ventilation is not sufficient to effectively remove them, appropriate NIOSH/MSHA approved respiratory protection must be provided.

Eye/face protection:

Skin protection:

Safety goggles or safety glasses with side shields.

Wear impervious gloves for prolonged contact. Use of impervious apron and boots are recommended.

(estimated)

9. PHYSICAL AND CHEMICAL PROPERTIES

| Physical state: | Solid |
|------------------------------------------|-----------------------------------------------------------|
| Color: | Red |
| Odor: | Slight |
| Odor threshold: | Not available. |
| pH: | Not applicable, Product is non-soluble (in water). |
| Vapor pressure: | < 0.1 hPa (20 °C (68°F)) |
| Boiling point/range: | Not determined |
| Melting point/ range: | Not applicable |
| Specific gravity: | 1.2 |
| Vapor density: | > 1 |
| Flash point: | > 93 °C (> 199.4 °F) ; Estimated |
| Flammable/Explosive limits - lower: | Not determined |
| Flammable/Explosive limits - upper: | Not determined |
| Autoignition temperature: | Not determined |
| Flammability: | The product is not flammable. |
| Evaporation rate: | Not applicable |
| Solubility in water: | Insoluble |
| Partition coefficient (n-octanol/water): | Not available. |
| VOC content: | < 10 g/l per SCAQMD Rule 1124 [EPA Test Method 24/304-91] |
| Viscosity: | Not available. |
| Decomposition temperature: | > 200 °C |
| | |

10. STABILITY AND REACTIVITY

| Stability: | Stable at normal conditions. |
|--------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Hazardous reactions: | May occur. |
| Hazardous decomposition products: | Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. Oxides of nitrogen. |
| Incompatible materials: | Keep away from strong oxidizing agents, strong Lewis or mineral acids. |
| Reactivity: | Not available. |
| Conditions to avoid: | Avoid heating masses of film greater than 1 pound (0.454 kg) total. Avoid heating unless curing surfaces to be bonded. Failure to observe these precautions may result in excessive heat build-up causing an exotherm. |

11. TOXICOLOGICAL INFORMATION

Relevant routes of exposure: Skin, Inhalation, Eyes

Potential Health Effects/Symptoms

| Inhalation: | May cause respiratory tract irritation. |
|---------------|----------------------------------------------------------------------------------|
| Skin contact: | This product may cause irritation to the skin. May cause allergic skin reaction. |
| Eye contact: | This product may cause irritation to the eyes. |
| Ingestion: | Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. |

| Hazardous Component(s) | LD50s and LC50s | Immediate and Delayed Health Effects | |
|-------------------------------------------------------|-----------------------------------------|-------------------------------------------------------------------------------------------------------------------|--|
| Tetraglycidyl diaminodiphenylmethane | Inhalation LC50 (Rat, 4 h) = > 30 mg/m3 | Allergen, Blood, Central nervous system, Gastrointestinal, Irritant, Kidney, Liver, Mutagen, Nervous System | |
| Epoxy resin~ | None | No Data | |
| Epichlorohydrin-4,4'-isopropylidene diphenol resin | None | Allergen, Irritant | |
| Treated fumed silica | None | Irritant | |

| Hazardous Component(s) | NTP Carcinogen | IARC Carcinogen | OSHA Carcinogen (Specifically Regulated) |
|-------------------------------------------------------|----------------|-----------------|---------------------------------------------|
| Tetraglycidyl diaminodiphenylmethane | No | No | No |
| Epoxy resin~ | No | No | No |
| Epichlorohydrin-4,4'-isopropylidene diphenol resin | No | No | No |
| Treated fumed silica | No | No | No |

12. ECOLOGICAL INFORMATION

Ecological information:

Not available.

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal:

Dispose of according to Federal, State and local governmental regulations.

14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

U.S. Department of Transportation Ground (49 CFR)

| Proper shipping name: | Not regulated |
|---------------------------|---------------|
| Hazard class or division: | None |
| Identification number: | None |
| Packing group: | None |

International Air Transportation (ICAO/IATA)

| Proper shipping name: |
|---------------------------|
| Hazard class or division: |
| Identification number: |
| Packing group: |

Not regulated None None None

Water Transportation (IMO/IMDG)

| Proper shipping name: |
|---------------------------|
| Hazard class or division: |
| Identification number: |
| Packing group: |

Not regulated None None None

Product name: LOCTITE EA 9695 050NW AERO known as HYSOL EA 9695 .050 PSF NW Page 4 of 5

15. REGULATORY INFORMATION

United States Regulatory Information

| TSCA 8 (b) Inventory Status: | All components are listed as active or are exempt from listing on the Toxic Substances Control Act (TSCA) inventory. |
|------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TSCA 12 (b) Export Notification: | None above reporting de minimis |
| CERCLA/SARA Section 302 EHS: CERCLA/SARA Section 311/312: CERCLA/SARA Section 313: | None above reporting de minimis. Immediate Health, Delayed Health None above reporting de minimis. |
| California Proposition 65: | This product contains a chemical known in the State of California to cause cancer. This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. |
| Canada Regulatory Information | |
| | |

CEPA DSL/NDSL Status: One or more components are not listed on, and are not exempt from listing on either the Domestic Substances List or the Non-Domestic Substances List.

16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: New Safety Data Sheet format.

Prepared by: Regulatory Affairs

Issue date: 07/12/2022

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This Safety Data Sheet has been generated based on OSHA Hazard Communication Standard (29 CFR 1910.1200) and provides information in accordance with U.S. federal law only. No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.