

SAFETY DATA SHEET

H.B. Fuller® UR-2139-B

Version 1.3

Revision Date 12/17/2019

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : H.B. Fuller® UR-2139-B
 Product code : 10000002968

Manufacturer or supplier's details

Company : H.B. Fuller Company
 Address : 1200 Willow Lake Boulevard
 Vadnais Heights, MN 55110
 Telephone : 1-888-423-8553

Medical Emergency Phone Number (24 Hours): 1-888-853-1758

Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

Recommended use of the chemical and restrictions on use

Recommended use : Isocyanate based product
 Restrictions on use : For industrial use only.

SECTION 2. HAZARDS IDENTIFICATION


Emergency Overview

Appearance	liquid
Color	amber
Odor	Neutral

GHS Classification

Acute toxicity (Inhalation) : Category 4
 Skin irritation : Category 2
 Eye irritation : Category 2A
 Respiratory sensitization : Category 1
 Skin sensitization : Category 1
 Specific target organ toxicity - single exposure : Category 3 (Respiratory system)
 Specific target organ toxicity - repeated exposure (Inhalation) : Category 2 (Respiratory Tract)

GHS label elements

Hazard pictograms : 

Signal Word : Danger

Hazard Statements:

SAFETY DATA SHEET

H.B. Fuller® UR-2139-B

Version 1.3

Revision Date 12/17/2019

H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H332 Harmful if inhaled. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation. H373 May cause damage to organs (Respiratory Tract) through prolonged or repeated exposure if inhaled.

Precautionary Statements:

Prevention: P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing must not be allowed out of the workplace. P280 Wear protective gloves/ eye protection/ face protection. P285 In case of inadequate ventilation wear respiratory protection.

Response: P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor. P362 Take off contaminated clothing and wash before reuse.

Storage: P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up.

Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

Potential Health Effects

Aggravated Medical Condition : None known.
 Symptoms of Overexposure : Breathing difficulties

Carcinogenicity:

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical name	CAS-No.	Concentration [%]
4,4'-methylenediphenyl diisocyanate	101-68-8	50 - 70
Proprietary Isocyanate Prepolymer	0-00-0	30 - 50
triethyl phosphate	78-40-0	1 - 5

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Show this material safety data sheet to the doctor in attendance.

SAFETY DATA SHEET**H.B. Fuller® UR-2139-B**

Version 1.3

Revision Date 12/17/2019

-
- | | |
|---|--|
| If inhaled | : Move to fresh air.
If symptoms persist, call a physician. |
| In case of skin contact | : Get medical attention if irritation develops and persists.
Take off contaminated clothing and shoes immediately.
Wash contaminated clothing before re-use. |
| In case of eye contact | : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. |
| If swallowed | : Do not induce vomiting. If conscious, give 2 glasses of water.
Get immediate medical attention. |
| Most important symptoms and effects, both acute and delayed | : Breathing difficulties |
-

SECTION 5. FIRE-FIGHTING MEASURES

- | | |
|--|--|
| Suitable extinguishing media | : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. |
| Specific hazards during fire fighting | : Burning produces irritant fumes. |
| Special protective equipment for fire-fighters | : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment. |
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- | | |
|---|--|
| Personal precautions, protective equipment and emergency procedures | : Refer to protective measures listed in sections 7 and 8. |
| Methods and materials for containment and cleaning up | : Soak up with inert absorbent material.
Shovel into suitable container for disposal.
Neutralize with the following product(s):
Ammonia |
-

SECTION 7. HANDLING AND STORAGE

- | | |
|-------------------------|---|
| Local/Total ventilation | : Use only with adequate ventilation. |
| Advice on safe handling | : Protect from moisture.
Avoid inhalation, ingestion and contact with skin and eyes. |
| Materials to avoid | : No special restrictions on storage with other products. |

SAFETY DATA SHEET

H.B. Fuller® UR-2139-B

Version 1.3

Revision Date 12/17/2019

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
4,4'-methylenediphenyl diisocyanate	101-68-8	TWA	0.005 ppm	ACGIH
		C	0.02 ppm 0.2 mg/m ³	OSHA Z-1
		C	0.02 ppm 0.2 mg/m ³	OSHA P0
		PEL	0.005 ppm 0.051 mg/m ³	CAL PEL

Engineering measures : Use local exhaust ventilation or other engineering controls to minimize exposures.

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Hand protection
Material : Nitrile rubber

Eye protection : Safety glasses with side-shields

Hygiene measures : Avoid contact with skin, eyes and clothing.
Provide adequate ventilation.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid
 Color : amber
 Odor : Neutral
 Odor Threshold : No data available
 Melting point/freezing point : is not determined
 Initial boiling point and boiling range : is not determined
 Flash point : Not applicable
 Evaporation rate : is not determined
 Flammability (solid, gas) : Not classified as a flammability hazard

Upper explosion limit : Upper flammability limit is not determined

SAFETY DATA SHEET

H.B. Fuller® UR-2139-B

Version 1.3

Revision Date 12/17/2019

Lower explosion limit	:	Lower flammability limit is not determined
Density	:	10.0 - 10.2 lb/gal
Solubility(ies)	:	
Water solubility	:	is not determined
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	is not determined
Viscosity	:	
Viscosity, dynamic	:	is not determined
Viscosity, kinematic	:	is not determined
Solid Content, % by weight:	:	100

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Container can be pressurized by carbon dioxide due to reaction with humid air and/or water.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reactions	:	Hazardous polymerization does not occur.
Incompatible materials	:	Amines Strong acids and strong bases
Hazardous decomposition products	:	Stable under normal conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity	:	Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate : 2.44 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method

Components:

4,4'-methylenediphenyl diisocyanate:

Acute inhalation toxicity	:	LC50 : 1.5 mg/l Exposure time: 4 h Test atmosphere: dust/mist
---------------------------	---	---

Skin corrosion/irritation

SAFETY DATA SHEET**H.B. Fuller® UR-2139-B**

Version 1.3

Revision Date 12/17/2019

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT-single exposure

No data available

STOT-repeated exposure

No data available

Aspiration toxicityNo data available

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity**

No data available

Persistence and degradability

No data available

Bioaccumulative potential**Mobility in soil**

No data available

Other adverse effectsNo data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues

: To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Disposal via incineration at an approved facility is recommended, as industry best

SAFETY DATA SHEET

H.B. Fuller® UR-2139-B

Version 1.3

Revision Date 12/17/2019

practice. Consult state, local or provincial authorities for more restrictive requirements.

SECTION 14. TRANSPORT INFORMATION

Special precautions for user

Remarks : 49CFR: Not dangerous goods in non-bulk packaging.

Domestic regulation

49 CFR

UN/ID/NA number : 3082
 Proper shipping name : Environmentally hazardous substances, liquid, n.o.s.
 (METHYLENE DIISOCYANATE)
 Class : 9
 Packing group : III
 Labels : 9
 ERG Code : 171
 Marine pollutant : no

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards : Acute toxicity (any route of exposure)
 Respiratory or skin sensitization
 Specific target organ toxicity (single or repeated exposure)
 Skin corrosion or irritation
 Serious eye damage or eye irritation

SARA 302 : This material does not contain any components with a section 302 EHS TPQ.

SAFETY DATA SHEET

H.B. Fuller® UR-2139-B

Version 1.3

Revision Date 12/17/2019

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

4,4'-methylenediphenyl diisocyanate 101-68-8

Clean Air Act

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 112 (40 CFR 61):

4,4'-methylenediphenyl diisocyanate 101-68-8

US State Regulations

California Prop 65 Please contact Supplier for more information.

The ingredients of this product are reported in the following inventories:


TSCA All substances listed as active on the TSCA inventory
ENCS On the inventory, or in compliance with the inventory
KECI On the inventory, or in compliance with the inventory
IECSC On the inventory, or in compliance with the inventory
Inventories Legend TSCA (USA), DSL (Canada), REACH(Europe), AICS (Australia), NZIoC (New Zealand), ENCS (Japan), KECI (Korea), PICCS (Philippines), IECSC (China), TWINV (Taiwan)

SECTION 16. OTHER INFORMATION

Prepared by: Global Regulatory Department - phone: 1-651-236-5842 - email: msds.request@hbfuller.com

Further information

NFPA:



HMIS III:

HEALTH	2*
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to the H.B. Fuller Company from its suppliers, and because the H.B. Fuller Company has no control over the conditions of handling and use, the H.B. Fuller Company makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and

SAFETY DATA SHEET**H.B. Fuller® UR-2139-B**

Version 1.3

Revision Date 12/17/2019

consideration, and the H.B. Fuller Company assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Company products to comply with all applicable federal, state and local laws and regulations.